Google

| generalized fish-eye view "search results" "fish | Search | Advanced Search |
| | | Preferences |

Web Results **1** - **10** of about **31** for **generalized** **fish**-**eye** **view** **"search results"** **"fisheye** **zooming"**. (**0.12** seco

Did you mean: generalized *fisheye* view "search results" "fisheye zooming"

Decision Support Systems : Development of a **fisheye**-based ...
Consequently, the insights gained from the development effort have only limited
generalizability as to the success of the **fisheye zooming**, or in **general ...**
linkinghub.elsevier.com/retrieve/pii/S0167923603000472 - Similar pages

Development of a **fisheye**-based information search processing aid ...
To address this problem, we implement a **fisheye zooming** capability in our system. ... the
proposed solution based upon a **fisheye view**-based visualization. **...**
portal.acm.org/citation.cfm?id=1016078 - Similar pages

WaveLens: A New **View** onto Internet **Search Results**
search results. The Dynamic **view** was also faster than the ... Furnas, G. W. **Generalized**
fisheye views. Proceedings. of CHI 1986, 16-23. 7. Furnas, G. W. **...**
portal.acm.org/ft_gateway.cfm?id=985784&type=pdf - Similar pages
More results from portal.acm.org »

[PDF] WaveLens: A New **View** onto Internet **Search Results**
File Format: PDF/Adobe Acrobat - View as HTML
Fisheye zooming. In the WaveLens technique, a **fisheye** lens is applied **..... search
results**. The Dynamic **view** was also faster than the **...**
research.microsoft.com/~sdumais/wavelens_chi2004_final.pdf - Similar pages

Clustering-Based Visual Interfaces for Presentation of Web **Search** ...
alization with a **fisheye zooming** capability in the exploration of **.....** Alternatively, the
fisheye visualization of Fig. 4. keeps a **general view** of the **...**
www.springerlink.com/index/U203V71625804350.pdf - Similar pages

[PDF] Hypertext paper
File Format: PDF/Adobe Acrobat - View as HTML
load caused by long lists of choices, we apply **fisheye zooming**. differently. **.... fisheye
view** with multiple focal points to the content of a web page. **...**
eprints.ecs.soton.ac.uk/8802/01/p152-tsandilasHT03.pdf - Similar pages

[PDF] VISUALIZATION SUPPORT FOR MANAGING INFORMATION OVERLOAD IN THE WEB ...
File Format: PDF/Adobe Acrobat - View as HTML
generalized fisheye views with a similar motivation, and suggested that such **... fisheye
view** visualizations of web **search results** is VITESSE (Nigay and **...**
www.mis.temple.edu/turetken/home/ICIS2001.pdf - Similar pages

Information Visualization - Finding and understanding reusable ...
The **fisheye view** can be used to define a degree of interest function over a **....** might be to
combine enclosure with spatial (rather than **fisheye) zooming. ...**
www.palgrave-journals.com/ivs/journal/v5/n1/full/9500114a.html - Similar pages

[PDF] Development Of A **Fisheye**-Based Information Search Processing Aid ...
File Format: PDF/Adobe Acrobat - View as HTML

A majority of distortion-oriented systems are based on Furnas' [12] **fisheye view**. approach.
Furnas introduced the concept of **generalized fisheye** views based **...**
catt.okstate.edu/sharda/dss05_31_2.pdf - <u>Similar pages</u>

[PDF] <u>User-Controlled Link Adaptation</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
fisheye zooming differently. In our case, the point of focus is not **....** **fisheye view** with
multiple focal points to the content of a web **...**
www.ht03.org/papers/pdfs/25.pdf - <u>Similar pages</u>

Did you mean to search for: <u>generalized *fisheye* view "search results" "fisheye zooming"</u>

1 <u>2</u> <u>3</u>   **<u>Next</u>**

---

generalized fish-eye view "search re | Search |

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u> | <u>Try Google Experimental</u>

©2008 Google - <u>Google Home</u> - <u>Advertising Programs</u> - <u>Business Solutions</u> - <u>About Google</u>

Google

"bifocal displays" "search results"	Search	Advanced Search
		Preferences

Web   Results **1 - 10** of about **24** for **"bifocal displays" "search results"**. (0.24 seconds)

A Fisheye Calendar Interface for PDAs: Providing Overviews for ...
Fisheye distortion techniques, initially called **bifocal displays**, ... an ordered list of **search results**, but instead highlights whichever days match. ...
hcil.cs.umd.edu/trs/2002-09/2002-09.html - 145k - Cached - Similar pages

Automatic Generation of Diagrammatic Web Site Maps
thematically related web pages, **search results** appear as. foci of a. table of contents .... **bifocal displays** to enhance WWW Navigation," presented ...
portal.acm.org/ft_gateway.cfm?id=331078&type=pdf - Similar pages

A review and taxonomy of distortion-oriented presentation techniques
... Susan Dumais , Ron Logan, WaveLens: a new view onto Internet **search results**, ... Perspective Wall, **bifocal displays**, distortion-oriented presentation, ...
portal.acm.org/citation.cfm?id=180173&coll=ACM&dl=ACM&ret=1 - Similar pages
More results from portal.acm.org »

Systems and Applications
The most widely known examples of distorted displays include **bifocal displays** ...... organizes and displays **search results** in recursively embedded layers of ...
www.springerlink.com/index/q132345148228420.pdf - Similar pages

OLIVE: Citation List
... he database and **search results**, users can find trends and exceptions easily. .....
Leung,Y.K., Spence,R. and Apperley,M.D., Applying **bifocal displays** to ...
www.otal.umd.edu/Olive/Cite.html - 53k - Cached - Similar pages

[PDF] Microsoft Office Word - TOCHI - DateLens revision
File Format: PDF/Adobe Acrobat - View as HTML
Fisheye distortion techniques, initially called **bifocal displays**, ... Rather than ordering **search results**, DateLens only presents highly ranked **search** ...
research.microsoft.com/~marycz/tochidatelens.pdf - Similar pages

[PDF] Visualisierung von Daten
File Format: PDF/Adobe Acrobat
Thomas Mann in seiner Dissertation „Visualization of **Search Results** from the ...... eine Variante eines eindimensionalen **Bifocal Displays** dar, welches bei ...
hci.uni-konstanz.de/downloads/STAR_Ludwig.pdf - Similar pages

[PDF] Intelligent Informatics
File Format: PDF/Adobe Acrobat - View as HTML
THE IEEE. Intelligent. Informatics. BULLETIN. IEEE Computer Society. Technical Committee. June 2005 Vol. 5 No. 1 (ISSN 1727-5997) ...
www.comp.hkbu.edu.hk/~cib/2005/Jun/iib_vol5no1.pdf - Similar pages

keyword_summary
information visualization. 87. data visualisation. 43. Visualization. 38. information retrieval.
22. data visualization. 22. user interfaces ...
iv.slis.indiana.edu/ref/iv04contest/data/keyword_old.htm - 250k - Cached - Similar pages

[GZIP] From Roger.Clarke@anu.edu.au Wed May 1 02:11:15 1996 From: Roger ...
File Format: Gzip Archive
Additionally, **search results** can be received in brief or with > more details. ...... email :
rosener@cs.utk.edu Title : Applying **Bifocal Displays** to Enhance ...
mailman.anu.edu.au/pipermail/link/1996-May.txt.gz - Similar pages

1 2   **Next**

| "bifocal displays" "search results" | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve | Try Google Experimental

---

©2008 Google - Google Home - Advertising Programs - Business Solutions - About Google

Google

| generalized fish-eye view "search results" | | Search | Advanced Search Preferences |

Web   Results **1 - 10** of about **3,160** for **generalized fish-eye view "search results"**. (**0.19** seconds)

Did you mean: generalized *fisheye* view "search results"

[PDF] Automatic Image Retargeting with **Fisheye-View** Warping
File Format: PDF/Adobe Acrobat - View as HTML
General Terms Algorithm, Human Factors. Keywords:. Image retargeting, Image warping,
Fisheye-view. warping, Salience map, Focus plus context. 1 INTRODUCTION ...
www.cs.wisc.edu/graphics/Papers/Gleicher/**fisheye**-retarget.pdf - Similar pages

[PDF] WaveLens: A New **View** onto Internet **Search Results**
File Format: PDF/Adobe Acrobat - View as HTML
search results. The Dynamic **view** was also faster than the ... Furnas, G. W. **Generalized**
fisheye views. Proceedings. of CHI 1986, 16-23. 7. Furnas, G. W. ...
research.microsoft.com/~sdumais/wavelens_chi2004_final.pdf - Similar pages

Automatic image retargeting with **fisheye-view** warping
Like previous methods, **fisheye-view** warping uses image information, ... The **generalized**
detail-in-context problem. In Proceedings IEEE Symposium on ...
portal.acm.org/citation.cfm?id=1095034.1095061 - Similar pages

Fishnet, a **fisheye** web browser with search term popouts
Fishnet accomplishes this by using a **fisheye view**, i.e. by showing a focus region at ... 7
Furnas, G. **Generalized Fisheye** Views. Proc.CHI'86, 16–23. ...
portal.acm.org/citation.cfm?id=989863.989883 - Similar pages
More results from portal.acm.org »

Decision Support Systems : Development of a **fisheye**-based ...
A majority of distortion-oriented systems are based on Furnas' [12] **fisheye view** approach.
Furnas introduced the concept of **generalized fisheye** views based ...
linkinghub.elsevier.com/retrieve/pii/S0167923603000472 - Similar pages

Visual bracketing for web search result visualization ...
2) Information about the actual **search results**, the SRE ..... "**Generalized Fish-eye view**".
In. Proceedings of the SIGCHI conference on Human ...
ieeexplore.ieee.org/iel5/8639/27378/01217989.pdf - Similar pages

[PDF] Fishnet, a **fisheye** web browser with search term popouts: a ...
File Format: PDF/Adobe Acrobat - View as HTML
General Terms. Design, Human Factors. Keywords. **Fisheye view**, web browser, search
terms, ... clip long web pages, which hides all **search results** outside the ...
www.patrickbaudisch.com/publications/2004-Baudisch-AVI04-Fishnet.pdf - Similar pages

Method and apparatus for visualization of database **search results** ...
Furnas, G. W., "**Generalized Fisheye** Views," CHI '86 Proceedings, ACM, ... The **fisheye**
view can achieve, for example, a logarithmically compressed display of ...
www.patentstorm.us/patents/5546529-description.html - 55k - Cached - Similar pages

A method and apparatus for visualization of database **search** ...
The **fisheye view** can achieve, for example, a logarithmically compressed ..... by which they
would like to **view** the **search results** are termed preferences. ...

www.freepatentsonline.com/EP0694829.html - 50k - <u>Cached</u> - <u>Similar pages</u>

<u>LNCS 3815 - Concept Expansion Using Semantic **Fisheye** Views</u>
first described the **fisheye view** as a technique for selectively reducing ..... Furnas, G., W.,
Generalized Fisheye Views, in Proc. of the SIGCHI Conf. on ...
www.springerlink.com/index/f10638v73g41q567.pdf - <u>Similar pages</u>

Did you mean to search for: <u>generalized **_fisheye_** view "search results"</u>

1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> <u>9</u> <u>10</u>   **<u>Next</u>**

generalized fish-eye view "search re   Search

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u> | <u>Try Google Experimental</u>

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	73	"707"/.ccls. and ((fish$1eye bi$1focal) with (display$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:15
L2	90	"715"/.ccls. and ((fish$1eye bi$1focal) with (display$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:15
L3	535	((fish$1eye bi$1focal) with (display$3 interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:18
L4	23	((fish$1eye bi$1focal) with (display$3 interface gui)) and (display$3 with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:18
L5	9	"715"/.ccls. and ((fish$1eye bi$1focal) with (display$3 interface gui)) and (display$3 with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:23
L6	11	((fish$1eye bi$1focal)) and (display$3 with (query search) with result) and ((magnification magnif$4) with (view display interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 11:38
L7	1070	((fish$1eye bi$1focal poly$1focal projection distortion)) and ((display$3 visualiz$6) with (query search) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:06

L8	68	((fish$1eye bi$1focal poly$1focal projection distortion)) and ((display$3 visualiz$6) with (query search) with result) and (detail with context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:07
L9	2	"20050216859"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 12:50
L10	141458	((fish$1eye bi$1focal poly$1focal projection distortion) with (display view interface gui)) ((display$3 visualiz$6) with (query search) with result) and (detail with context) and (local) and global	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:52
L13	70	"5546529"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:18
L14	8	"5546529" and vertical$4 and (fish$1eye (parallel with project$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:19
L15	4	"5546529" and vertical$4 and (fish$1eye (parallel with project$4)) and (search with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:21
L16	7	"0694829"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:33

L17	0	"715".ccls. and magnification and hooking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:37
L18	3	"715"/.ccls. and magnification and hooking	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:37
L19	380	(level with detail) and (search with result) and ((detail focus) with context)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:40
L20	6	(level with detail) and (search with result) and ((detail focus) with context) and fish$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L21	0	(level with detail) and (search with result) and ((detail focus) with context) and (fish$1eye same vertical$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L22	5	((increas$3 chang$3 alter$3) with level with detail) and (search with result) and ((detail focus) with context) and fish$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:41
L23	10	semantic with fish$1eye	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:56

EAST Search History

L24	114	(fish$1eye with zoom$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:00
L25	23	(fish$1eye with zoom$3) and ((search query) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:01
L26	19	(fish$1eye with zoom$3) and ((search query) with result) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:02
L27	19	(fish$1eye with zoom$3) and ((search query) with result) and (level with detail) and (result with (text title list url))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:03
L28	11	(fish$1eye with variable with zoom$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:08
L29	5	(fish$1eye with variable with zoom$3) and text$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:08
L30	6	(fish$1eye with menu)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 15:25

L31	13	(fish$1eye with (interface view display gui lens$2 panel pane)) and (insert$4 with text with (interface view display gui lens$2 panel pane))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:12
L32	32	(display$3 with search with result) and (vary$4 with level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:52
L33	4	(display$3 with search with result) and (vary$4 with level with detail with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:53
L34	180	(display$3 with (search query) with result) and ((vary$4 chang$3 alter$3 increas$3) with ((level with detail) snippet description)) and zoom$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 16:59
L35	12	(display$3 with (search query) with result) and ((vary$4 chang$3 alter$3 increas$3) with ((level with detail) snippet description) with result) and zoom$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:00
L36	17	(display$3 with (search query) with result) and ((vary$4 chang$3 alter$3 increas$3) with ((level with detail) snippet description) with result) and (zoom$3 magnification magnif$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:00
L37	72	(display$3 with (search query) with result) and ((vary$4 chang$3 alter$3 increas$3) with ((level with detail) snippet description) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:06

L38	9	(display$3 with (search query) with result) and ((vary$4 chang$3 alter$3 increas$3) with ((level with detail) snippet description) with result) and ((focus context) with detail) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:09
L39	0	(display$3 with (search query) with result) and ((increas$3) with ((detail size amount) with (snippet description text)) with result) and ((focus context) with detail) and (level with detail)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:12
L40	11	(display$3 with (search query) with result) and ((increas$3) with ((detail size amount) with (snippet description text)) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:12
L41	1	(display$3 with (search query) with result) and ((increas$3 adjust$3 vary$4) with (detail size amount) with (snippet description text) with (hover$3 mouse) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:28
L42	15	707/102.ccls. and ((fish$1eye bi$1focal) with (display$3 interface gui view))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:32
L43	47	"707"/.ccls. and ((fish$1eye bi$1focal) with (display$3 interface gui)) and (search with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 17:39
S1	7	(display$3 with search with result with preview with pane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:39

EAST Search History

S2	44	(display$3 with (search$3 quer$4) with result) and (preview with pane) and (result with pane)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:45
S3	31	(display$3 with (search$3 quer$4) with result) and ((preview with pane) same (result with pane))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:45
S4	9	(display$3 with (search$3 quer$4) with result) and ((preview with pane) same (result with pane)) and microsoft.as.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:46
S5	22	S3 not S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:51
S6	2170	((user adj interface) gui) with ((search query) adj results)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:04
S7	12	(((user adj interface) gui) with ((search query) adj results)) and (fish$1eye)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:05
S8	535	((interface gui display$3) with (fish$1eye bi$1focal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:13

S9	33	((interface gui display$3) with (fish$1eye bi$1focal)) and (degree$1of$1interest (degree adj2 interest))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:14
S10	23	((interface gui display$3) with (fish$1eye bi$1focal)) and (degree$1of$1interest (degree adj2 interest)) and ((quer$4 search$3) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:16
S11	0	(fisheye with distort$4 with (interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:17
S12	6	(fish$1eye with distort$4 with (interface gui))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:17
S13	0	(bi$1focal with (interface display gui)) and (siaply$3 with (search query) with result)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 17:23